No.



9100188

THE UNIVERD SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

pioneer Gi-Bred International, Inc.

Colherens. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, As Amended, 7 U.S.C. 2321 ET SEQ.)

SO YBEAN

197611

Bu Testimous Whereot, I have hereunto set my hand and caused the seal of the Plant Waxiety Protection Office to be affixed at the City of Washington, D.C. this 30th day of September in the year of our Lord one thousand nine hundred and ninety-two.

Attest

Kenneth H Will Commissioner Plant Varioty Protection Office

Uural Markeling Servic

Tward MAdig In Secretary of Agriculture

450

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 9581-0055, Expires 1/31/91

	,,				
U.S. DEPARTMENT OF A AGRICULTURAL MARKE		pplication is required in order to elermine if a plant variety protection			
APPLICATION FOR PLANT VARIET	CE In	certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGN EXPERIMENTAL NO.	NATION OR 3.	VARIETY NAME	
Pioneer Hi-Bred International	, Inc.			9761	
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area		FOR OFFICIAL USE ONLY	
700 Capital Square 400 Locust Street Des Moines, IA 50309	515-270-3		9100188 F Date Way 17 1991		
6. GENUS AND SPECIES NAME	7. FAMILY NAME (8)	ofanical)		1 Time	
Glycine max	Legumir	iosae		N	
8. CROP KIND NAME (Common Name)		9. DATE OF DETERMINATION		F Filing and Examination Fee:	
Soybean		July, 1986	1	E \$ 2, /50; S Date	
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ANIZATION (Corporation			R May 13, 1991	
Corporation		•		C Certificate Fee:	
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	l i:	2. DATE OF INCORPORATION		s 250, — V Date	
Iowa		1926		Clug. 31, 1992	
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	O SERVE IN THIS APPLI	CATION AND RECEIVE ALL PAP	ERS	0	
James E. Miller, Ph.D. 7301 NW 62nd Ave., P.O. Box 8 Johnston, IA 50131-0085	5 700 Des	Moines, IA	are. 400	py) Locust Street	
 a. X b. X b. X b. A c. Exhibit B, Novelty Statement. c. X d. Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. X f. Exhibit E, Statement of the Basis of Applicant's Owners f. X g. X Filling and Examination Fee (\$2,150) made payable to 's 	d Sample mailed to Pl	ed States."			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE S Protection Act.) YES (If "YES," answer items 16 and 17 b		ONLY AS A CLASS OF CERTIFI (If "NO," skip to item 18 below)	ED SEED? (See se	ection 83(a) of the Plant Variety	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS		S" TO ITEM 16, WHICH CLASS	ES OF PRODUCTION	ON BEYOND BREEDER SEED?	
NUMBER OF GENERATIONS? YES NO		FOUNDATION	REGISTERE	CERTIFIED	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V YES (If "YES," through Plant Variety Protection Act NO	_	ve date:}			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR YES (If "YES," give names of countries and dates) NO	MARKETED IN THE U.S	OR OTHER COUNTRIES?			
20. The applicant(s) declare(s) that a viable sample of basic s request in accordance with such regulations as may be applicant (s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entited Applicant(s) is (are) informed that false representation here.	olicable. s sexually reprodu led to protection und	ced novel plant variety, ler the provisions of section	and believe(s) on 42 of the Pla	that the variety is distinct,	
SIGNATURE OF APPLICANT [Owner(s)]	CAPACIT	OR TITLE		DATE	
James E. Miller		ldwide Soybea		5/9/91	
SIGNATURE OF APPLICANT [Owner(s)]		earch Directo	r	DATE	
Company of the advantage of the second of th				I	

Pioneer Hi-Bred International, Inc. PVP Application Variety 9761 Soybean April 1991

EXHIBIT A

Origin and Breeding History of Variety 9761

Summer	1983	Original cross made at Greenville, MS. Cross number was 2821. Parentage - 2178-33 * 2029-14 2178-33 = Centennial * 1189-7 2029-14 = Ransom * Tracy 1189-7 = Mack * Dare
Winter	1983-84	F1 plants grown in Hawaii under artificial light.
Summer	1984	F2 advanced to F3 by modified single seed descent at Greenville, MS.
Winter	1984-85	F3 advanced to F5 in Hawaii in two-generation advance by modified single seed descent.
Summer	1985	F5 bulks of 2821 grown in Greenville, MS and 110 plants selected.
Summer	1986	F6 progeny rows of 2821 grown in Greenville, MS. Row G6-14986 selected and composited.
Summer	1987	Yield tested $G6-14986$ as $2821-14$ in three reps as entry 27 in test GRD704.
Winter	1987-88	Plants of 2821-14 were grown in Hawaii and harvested as individual plants to start strain purification.
Summer	1988	Yield tested as W2821-14 at ten locations in the South and the Southeast. Sixty progeny rows were grown and 48 rows were bulked as breeders seed.
Summer	1989	Yield tested as Y2821-14 at ten locations in the South and the Southeast. Forty-eight rows were segregating for maturity; only the later maturing rows were bulked for breeders seed.

Summer 1990

Yield tested as XB76A at twelve locations in the South and the Southeast. Approximately fifty acres of parent seed (foundation equivalent) were grown near Corning, AR.

January 1991

XB76A nominated for release and full production and assigned the designation 9761.

Yield trials and seed production in 1990 indicate Variety 9761 is uniform and stable. As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual production.

Pioneer Hi-Bred International, Inc. PVP Application 9761 Soybean April 1991

EXHIBIT B

Variety 9761 is most similar to the varieties 9691, 9751, 9711, H7190, Braxton and Stonewall. However, variety 9761 differs from 9691 and 9751 in Phytophthora resistance; 9761 is susceptible to races 1 and 2, whereas 9691 and 9751 are resistant. In comparison to 9711, 9761 is resistant to stem canker whereas 9711 is susceptible. In comparison to Stonewall, 9761 is susceptible to cyst nematode race 4 whereas Stonewall is resistant. In comparison to Braxton, 9761 is 2.7 inches shorter (Table 1) and is resistant to frogeye leafspot whereas Braxton is susceptible. In comparison to H7190, 9761 has purple flower color, whereas H7190 has white flower color.

Revised 7/15/92

EXHIBIT C (Soybean)

Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	9761
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
700 Capital Square	PVPO NUMBER
400 Locust Street Des Moines, IA 50309	9100188
Choose the appropriate response which characterizes the variety in the features described	
in your answer is fewer than the number of boxes provided; place a zero in the first box w Starred characters ** are considered fundamental to an adequate soybean variety description	
when information is available.	Citation and the described
1. SEED SHAPE:	
2 L W T	a _n
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
X 2 SEED COAT COLUM: (Mastura Seed)	
1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other 6	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	•
* 4. SEED SIZE: (Mature Seed)	
1 5 Grams per 100 seeds	·.
★ 5. HILUM COLOR: (Mature Seed)	
6 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black	ck 6 = Black 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
▼ 7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 1 = Low 2 = High	
* 8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
★ 9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('National State of Stat	Voodworth'; 'Tracy')
★10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)	
	5.

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

		ET SIZE:	
11.	LEAFLE	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	2	3 = Large ('Crawford'; 'Tracy')	
12	LEAF C	OLOR:	
12.		1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')
	2	3 = Dark Green ('Gnome'; 'Tracy')	
13.	FLOWE	R COLOR:	
	2	1 = White 2 = Purple 3 = White with purple throat	
* 14.	POD CC	OLOR:	
	1	1 = Tan 2 = Brown 3 = Black	
<u></u>	PLANT	PUBESCENCE COLOR:	
	2	1 = Gray 2 = Brown (Tawny)	
16	PLANT	TYPES:	
10.		1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')	•
	2	3 = Bushy ('Gnome'; 'Govan')	
<u>+</u> 17.	PLANT	THABIT:	
- •		1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')	•
•		3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	<u></u>
★ 18.	MATU	RITY GROUP:	
Г		1=000 2=00 3=0 4=I 5=II 6=III	7 = IV 8 = V
. L	1 1 0 1	9 × VI 10 = VII 11 = VIII 12 × IX 13 = X	
★ 19.	. DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
		TERIAL DISEASES:	
*	2	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
*	2	Bacterial Blight (Pseudomonas glycinea)	•
		Wildfire (Psaudomonas tabaci)	
*	ئــــا	SAL DISEASES:	
*		Brown Spot (Septoria glycines)	
	L	Frogeye Leaf Spot (Carcospora sojina)	
*	0	Race 1 0 Race 2 0 Race 3 0 Race 4 2 Race 5	Other (Specify)
	0	Target Spot (Corynespora cassiicola)	
	0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
. *	0	Powdery Mildew (Microsphaera diffusa)	
*	r 0	Brown Stem Rot (Cephalosporium gregatum)	**
:	· 🔚	Stem Canker (Diaporthe phaseolorum var. caulivora)	6

									_		
19.			l: (Enter 0 = Not Tested; 1 :	= Susceptible; 2 =	Resistant) (Cont	tinued)					
	FUN	GAL DISEASE	S: (Continued)					•			
*		Pod and Stem Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>									
	Purple Seed Stain (Cercospora kikuchii)										
	O Rhizoctonia Root Rot (Rhizoctonia solani)										
		Phytophthora	Rot (Phytophthora megasp	erma var. sojae)	:		<u>·</u>				
*	1	Race 1	Race 2	Race 3	Race 4	1 Race 5	Race 6	1 Race 7			
	1	Race 8	1 Race 9 1	Other (Specify)	Races 10	,12,13,	17,19,20,25	· · · · · · · · · · · · · · · · · · ·			
	VIRA	L DISEASES:									
	0	Bud Blight (T	obacco Ringspot Virus)								
	0	Yellow Mosai	c (Bean Yellow Mosaic Virus	s)							
*	0	Cowpea Mosa	ic (Cowpea Chlorotic Virus)								
	0	Pod Mottle (B	Bean Pod Mottle Virus)								
*	0	Seed Mottle (Soybean Mosaic Virus)	•							
	NEM/	ATODE DISEA									
-		Sovbean Cvst	Nematode (Heterodera glyc	ines)							
*	0	Race 1		Race 3	Race 4	Other (Spi	acify)				
		Lance Nemate	ode (Hoplolaimus Colombus,)							
*	百		rt Knot Nematode (Meloidog					•			
*	F	-	t Knot Nematode (Meloidog	-				e e			
_			Knot Nematode (Meloidogyn			÷					
			natode (Rotylenchulus renifi	•							
					-						
	Ш	OTHER DISE	ASE NOT ON FORM (Speci	ifγ):							
20. I	PHYSIO	LOGICAL RES	SPONSES: (Enter 0 = Not T	ested; 1 = Suscept	tible; 2 = Resista	nt)			_		
*	0	Iron Chlorosis	on Calcareous Soil			•					
		Other (Specify	·/					_			
21.	NSECT	REACTION:	(Enter 0 = Not Tested; 1 = S	uscentible: 2 = Re	ecietant)				_		
				and the second second		the property	BL COLOR	es as			
		Posses i set il	Beetle (Epilachna varivestis)		e North Co						
	뻐		opper (Empoasca fabae)				রক হ'ত ভালিক্ষাত হতে এন্				
			·/								
22. I	NDICAT	TE WHICH VA	RIETY MOST CLOSELY R	ESEMBLES THA	T SUBMITTED.	······································	· 		_		
		ACTER	NAME OF VAI	RIETY	CHARA	CTER	· · · · · · · · · · · · · · · · · · ·	VARIETY			
	lant Sha	·	9751		Seed Coat I	Luster	975	· · · · · · · · · · · · · · · · · · ·			
	eaf Shap		9751		Seed Size		975		_		
	eaf Colo ———— eaf Size	r	975 1 9 7 51		Seed Shape		975 975		_		
	cai Size		3/31		Seedling Pig	mentation	97.	/1 ————————————————————————————————————			

VARIETY	NO. OF	PLANT LODGING	CM PLANT	LEAFL	ET SIZE	SEED COM	ITENT	SEED SIZE G/100	NO. SEEDS/ POD
	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	
9761 Submitted	153.2	2.1	87			41.4	23.4	14.9	-
9751 Name of	152.4	2.2	86			43.9	20.5	15.0	_

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Table 1. Variety 9761(X1) vs 'Braxton' (X2) for height in inches.

All observations are from plots planted using a randomized complete block design. Planted plot length was 21 feet, trimmed to 15 feet. Plot width was 4 30 inch rows, or 10 feet. Height was scored as the average height of the entire plot. Data is presented separately for 1988, 1989 and 1990 with overall statistics following.

REP	x 1	x2	x1-x2	(X1-X2)2		•			
1988 1 2 3 4	36 31 30 35	43	-12 -5	25 144 25 100		SD**2= SD= D/SD= DF=	1.7	7951	*
•			·		•	n=		4	
sum ave	132 33		-32 -8	294	1. 1.	ave Braz			
1989									
5 6 7 8 9 10	39.7 28.7 35	39.7 29.3	-0.6 -1 -6	1 36		SD**2= SD= D/SD= DF=	1.76 1.32 -2.2	2926	ns
sum ave		200 33.33	-18.1 -3.02	107.61		ave Braz			
1990									
11 12 13 14 15 16	41.5 41.5 36		-0.5 -1.5 -5	0.25 0.25 2.25 25 6.76 25		SD**2= SD= D/SD= DF= n=	0.71 0.84 -2.9	673	
sum ave		251.3 41.88		59.51		ave Brax	9761 = kton =		

OVERA	ĿĿ				•				
1	36	41	-5	25	SD**	2=	0.814	129	
2	31	43	-12	144	SD=		0.902	238	
3	30	35	-5	25	D/SD	=	-4.51	.58	* *
4	35	45	-10	100	DF=			15	
. 5	32	34.5	-2.5	6.25					
6	39.7	39.7	0	0	n=			16	
7	28.7	29.3	-0.6	0.36					
8	3.5	36	-1	1	ave	9	761 =	34.	3813
9	27.5	33.5	-6	36	ave	Brax	ton =	38.	4563
10	19	27	-8	64			•		
11	42.5	43	-0.5	0.25				•	
12	41.5	42	-0.5	0.25					
13	41.5	43	-1.5	2.25					
14	36	41	-5	- 25					
15	42.7	45.3	-2.6	6.76					
16	32	37	-5	25					•
* * *									
sum	550.1	615.3	-65.2	461.12				•	
ave	34.38	38.46	-4.08						

Pioneer Hi-Bred International, Inc. PVP Application 9761 Soybean April 1991

Exhibit E

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9761, for which it solicits a certificate of protection.